



ICC-SRCC™ LISTING

ICC-SRCC Solar Heating & Cooling Listing Program

Listing Number: SRCC-17001

Effective Date: May 25, 2018

This listing is subject to re-examination in one year.

www.solar-rating.org (888) 422-7233 ICC-SRCC
500 New Jersey Avenue, NW
6th Floor
Washington, DC 20001

The Industry Standard Since 1980 | A Member of the International Code Council (ICC) Family of Companies

CSI: DIVISION: 22 00 00 – PLUMBING
Section: 22 50 00 - POOL PLUMBING SYSTEMS

DIVISION: 23 00 00 – HEATING
Section: 23 56 13 – HEATING SOLAR COLLECTORS

Product certification program:

The SRCC Solar Heating & Cooling Code and Standard Listing Program are conducted in accordance with the latest version of the ICC-SRCC™ *Solar Heating & Cooling Code & Standard Listing Program Guidelines*. The program includes evaluation of samples and manufacturer's quality assurance systems to assess continued compliance with applicable codes and standard.

Products: Solar Thermal Collectors

Listee: TECHNO-SOLIS, INC www.techno-solis.com
301 20th Street South (727) 823-6766
St, Petersburg, FL U.S.A.

Compliance with the following codes:

- ❖ 2012 Uniform Solar Energy Code® (USEC)*
- ❖ 2015 Uniform Swimming Pool and Hot Tub Code® (USPHTC)*
- ❖ 2015 International Swimming Pool and Spa Code® (ISPSC)**
- ❖ 2015 International Energy Conservation Code® (IECC)**
- ❖ 2015 International Green Construction Code® (IgCC)**
- ❖ 2015 California Green Building Standards Code® (CALGreen)



**Uniform Plumbing Code, Uniform Solar Energy Code and Uniform Swimming Pool and Hot Tub Code are copyrighted publications and trademarks of the International Association of Plumbing and Mechanical Officials (IAPMO)*
***International Building Code, International Swimming Pool and Spa Code, International Energy Conservation Code and International Green Construction Code are copyrighted publications and trademarks of the International Code Council (ICC)*

Compliance with the following standards and criteria:

- ❖ ICC 901/SRCC 100-2015, Solar Thermal Collector Standard
- ❖ NSF 50-2014, Equipment for Swimming Pools Spas and Hot Tubs***

*** NSF 50 is a copyrighted publication of NSF International.

Models:

The solar heating and/or cooling products listed below have been evaluated by the Solar Rating & Certification Corporation™ (SRCC™), an ISO/IEC 17065 accredited and EPA recognized Certification Body, in accordance with the SRCC Solar Heating & Cooling Code and Standard Listing Program Operating Guidelines, and has been listed by the SRCC to the codes and standards above. This award of listing is subject to all terms and conditions of the SRCC Solar Heating & Cooling Code & Standard Listing Program Agreement and the documents incorporated therein by reference. Where solar collectors are listed, all sizes of the collector model are listed.

Solar Thermal Collectors

Collector Type	Brand Name	Model	SRCC OG-100 Certification Number*
Unglazed Flat Plate	Swimmaster	C20TS10	2006017A

* Collector and system certifications to the SRCC OG-100 and OG-300 programs may be obtained on the SRCC website at www.solar-rating.org

Installation:

Solar thermal collectors must be installed in accordance with the manufacturer’s published installation instruction, the applicable code(s) and this listing. Where differences exist, the instructions in this listing must govern.

All individual components of the system which may require periodic examination, adjustment, service and or maintenance must be easily and safely accessible by the owner in accordance with the codes in force at the installation site.

Collectors and supports shall be installed in such a manner that water flowing off the collector will not damage the building or cause premature erosion of the roof. Collectors shall be installed in such a manner as to minimize the accumulation of debris. Ground-mounted collectors shall be at least 6” above ground level.

Structural supports shall be selected and installed in such a manner that thermal expansion of the collector and piping will not cause damage to the collector, structural frame or building. Neither wind loading (including uplift) nor the additional weight of filled collectors shall exceed the live or dead load ratings of the building, roof, roof anchorage, foundation or soil. Collector supports shall not impose undue stresses on the collectors. The design load shall be as specified by the codes in force at the installation site and shall include an additional load due to snow accumulation for applicable locations.



Conditions of Listing:

1. System components shall be installed in accordance with the manufacturer's published installation instructions and the applicable code(s).
2. System components requiring access for maintenance and inspection shall be installed to provide required access in accordance with manufacturer's instructions and local codes.
3. Solar thermal collectors shall be installed in accordance with the requirements of ISPSC Section 316, Chapter 7 of the USPHTC, IgCC Section 607.3 and Chapter 7 of the USEC.
4. Where used in solar pool heating systems, the pipe and fittings used in conjunction with this collector are recognized for use in pool and spa applications.
5. Systems shall be sized in accordance with the demand, manufacturer's requirement, and local codes.
6. Solar thermal collectors shall not be installed below flood elevation level.
7. Solar thermal collectors shall only be used with water per manufacturer's requirements.
8. Each installation must be pressure-tested for leaks in the presence of the code official or code official's designated representative.
9. Devices and components shall not reduce or increase humidity, temperature or thermal radiation beyond acceptable levels or interfere with required headroom or air circulation space.
10. Solar thermal components shall use approved mounting hardware in compliance with the manufacturer's installation instructions and the requirements set forth by the Authority Having Jurisdiction.
11. Devices and components are manufactured by TECHNO-SOLIS, INC. under a quality control program with surveillance inspection every other year conducted in accordance with the requirements of ICC-SRCC.

Marking:

Models listed above were evaluated to the codes and standards listed in accordance with the SRCC Solar Heating & Cooling Code Listing Program Guidelines and are eligible to display the following mark as governed by the SRCC Solar Heating & Cooling Code Listing Program Agreement.



Each device or component shall also be permanently marked with manufacturer's name or trademark, model name and/or number, recommended working fluids, maximum working temperature and pressure, and recommended flow rate(s).

Listings are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the listing or a recommendation for its use. There is no warranty by the Solar Rating and Certification Corporation, express or implied as to any finding or other matter in this listing, or as to any product covered by the listing. This document must be reproduced in its entirety.